



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER OF PATENTS AND TRADEMARKS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/228,562	01/12/1999	TETSUO TANIGUCHI	36856.166	8433

7590

06/05/2003

Joseph R. Keating, Esq.
KEATING & BENNETT, LLP
10400 Eaton Place, Suite 312
Fairfax, VA 22030

EXAMINER

TRAN, CON P

ART UNIT

PAPER NUMBER

2644

DATE MAILED: 06/05/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/228,562

Applicant(s)

TANIGUCHI ET AL.

Examiner

Con P. Tran

Art Unit

2644

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 17 March 2003.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-21 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-21 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on _____ is: a) ☐ approved b) ☐ disapproved by the Examiner.
- If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

Priority under 35 U.S.C. §§ 119 and 120

- 13) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
- a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449) Paper No(s) _____.
- 4) ☐ Interview Summary (PTO-413) Paper No(s). _____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____.

DETAILED ACTION

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

2. **Claim 1** is rejected under 35 U.S.C. 102(b) as being anticipated by JP-52-50605 (cited by Applicants).

Regarding **claim 1**, JP-52-50605 teaches an input-output balanced filter (see Fig. 5 and respective portions of the specification) comprising:

first (A) and second (A') input terminals and first (node at L7 and C9) and second (node at L10 and C11) output terminals;

a first LC filter circuit unit (L6, L7, C8, C9) including a common side line (between L6 and L7), the first LC filter circuit unit being connected between the first input terminal (A) and the first output terminal (see Figure 5);

a second LC filter circuit unit (L9, L10, C10, C11) including a common side line (between L9 and L10), the second LC filter circuit unit being connected between the second input terminal (A') and the second output terminal (see figure 5);

a common line (i.e., L8; see Figure 5) defined by an element L8 that is independent of the first LC filter circuit unit (L6, L7, C8, C9), and the second LC filter circuit unit (L9, L10, C10, C11);

wherein the common side line (between L6 and L7) of the first LC filter circuit unit is electrically and directly connected to the common side line (between L9 and L10) of the second LC filter circuit unit via the common line (L8; see Figure 5); and

an approximate midpoint of the common line L8 is defined as a common phase reference point of each of the first and second LC filter circuit units (see Figure 5).

It should be noted that JP-52-50605 has the same structural arrangement as the claimed invention and therefore it would have been inherent that JP-52-50605's filter would perform the same and have the same affects as claimed by the present invention.

3. **Claims 2-8 and 21** are rejected under 35 U.S.C. 103(a) as being unpatentable over JP-52-50605 (cited by Applicants) in view of Lopez et al. U.S. Patent 5,132,647.

Regarding **claim 2**, JP-52-50605 teaches an input-output balanced filter (see Fig. 5 and respective portions of the specification) as claimed in claim 1. JP-52-50605 further teaches the filter wherein the first LC filter circuit unit includes at least one LC parallel circuit (C8 and L6).

However, JP-52-50605 does not explicitly disclose the LC parallel circuit (C8 and L6) is a resonant circuit.

Art Unit: 2644

In the same field of endeavor, Lopez et al. teaches an input-output balanced filter (see col. 5, lines 23-56; Fig. 4, 5, 6, and respective portions of the specification), wherein the LC filter circuit unit includes at least one LC parallel resonant circuit (see col. 5, lines 23-56 and col. 6, line 59 – col. 7, line 17) in order to afford a high level of protection against interference or unsuitable frequencies (see col. 1, lines 55-58).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have included within the JP-52-50605 a filter wherein the LC filter circuit unit includes at least one LC parallel resonant circuit as taught by Lopez et al. since such combination would have afforded a high level of protection against interference or unsuitable frequencies as suggested by Lopez et al. in column 1, lines 55-58.

Regarding **claim 3**, Lopez further teaches an input-output balanced filter (see col. 5, lines 23-56; Fig. 4, 5, 6, and respective portions of the specification) according to claim 2, wherein the at least one LC parallel resonant circuit includes an inductor and a capacitor (see col. 5, lines 23-56 and col. 6, line 59 – col. 7, line 17).

Regarding **claim 4**, Lopez further teaches an input-output balanced filter (see col. 5, lines 23-56; Fig. 4, 5, 6, and respective portions of the specification) according to claim 1, wherein the first LC filter circuit unit includes as least two LC parallel resonant circuits (see col. 5, lines 23-56 and col. 6, line 59 – col. 7, line 17).

Regarding **claim 5**, Lopez further teaches an input-output balanced filter (see col. 5, lines 23-56; Fig. 4, 5, 6, and respective portions of the specification) according to claim 1, wherein the second LC filter circuit includes at least one LC parallel resonant circuit (see col. 5, lines 23-56 and col. 6, line 59 – col. 7, line 17).

Regarding **claim 6**, Lopez further teaches an input-output balanced filter (see col. 5, lines 23-56; Fig. 4, 5, 6, and respective portions of the specification) according to claim 5, wherein the at least one LC parallel resonant circuit includes an inductor and a capacitor (see col. 5, lines 23-56 and col. 6, line 59 – col. 7, line 17).

Regarding **claim 7**, Lopez further teaches an input-output balanced filter (see col. 5, lines 23-56; Fig. 4, 5, 6, and respective portions of the specification) according to claim 1, wherein the second LC filter circuit unit includes at least two parallel resonant circuits (see col. 5, lines 23-56 and col. 6, line 59 – col. 7, line 17).

Regarding **claim 8**, Lopez further teaches an input-output balanced filter (see col. 5, lines 23-56; Fig. 4, 5, 6, and respective portions of the specification) according to claim 1, wherein the common line includes at least one inductor (see col. 5, lines 23-56 and col. 6, line 59 – col. 7, line 17).

Regarding **claim 21**, JP-52-50605 teaches an input-output balanced filter (see Figure 5 and respective portions of the specification) comprising:

Art Unit: 2644

a first LC bandpass filter circuit unit (L6, L7, C8, C9) including a plurality of LC parallel circuits (L6,C8, and L7, C9) electromagnetically connected to one another (see Figure 5);

a second LC bandpass filter circuit unit (L9, L10, C10, C11) including a plurality of LC parallel circuits (L9,C10, and L10, C11) electromagnetically connected to one another (see Figure 5).

an inductor (L8) defined by an element L8 that is independent of the first LC filter circuit unit (L6, L7, C8, C9), and the second LC filter circuit unit (L9, L10, C10, C11) for electrically and directly connecting a common side line (between L6 and L7) of the first LC bandpass filter circuit unit to a common side line (between L9 and L10) of the second LC bandpass filter circuit unit (see Figure 5);

first (A) and second (A') input terminals provided with one of the LC parallel circuits (L6, C8) of the first LC bandpass filter circuit unit and one of the LC parallel circuits (L9, C10) of the second LC bandpass filter circuit unit, respectively (see Figure 5);

first (node at L7 and C9) and second (node at L10 and C11) output terminals provided with another of the LC parallel circuits (L7, C9) of the first LC bandpass filter circuit unit (L6, L7, C8, C9) and another of the LC parallel circuits (L10, C11) of the second LC bandpass filter circuit unit (L9, L10, C10, C11), respectively (see Figure 5);

an approximate midpoint of the common line L8 is defined as a common phase reference point of each of the first and second LC filter circuit units (see Figure 5).

It should be noted that JP-52-50605 has the same structural arrangement as the claimed invention and therefore it would have been inherent that JP-52-50605's filter would perform the same and have the same affects as claimed by the present invention.

However, JP-52-50605 does not explicitly disclose the LC parallel circuits are resonant circuits.

In the same field of endeavor, Lopez et al. teaches an input-output balanced filter (see col. 5, lines 23-56; Fig. 4, 5, 6, and respective portions of the specification), wherein the LC filter circuit unit includes at least two LC parallel resonant circuits (see col. 5, lines 23-56 and col. 6, line 59 – col. 7, line 17) in order to afford a high level of protection against interference or unsuitable frequencies (see col. 1, lines 55-58).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have included within the JP-52-50605 a filter wherein the LC filter circuit unit includes at least two LC parallel resonant circuits as taught by Lopez et al. since such combination would have afforded a high level of protection against interference or unsuitable frequencies as suggested by Lopez et al. in column 1, lines 55-58.

4. **Claims 9-20** are rejected under 35 U.S.C. 103(a) as being unpatentable over JP-52-50605 (cited by Applicants) in view of Kato et al. U.S. Patent 5,140,497.

Regarding **claim 9**, JP-52-50605 teaches an input-output balanced filter (see Fig. 5 and respective portions of the specification) according to claim 1.

However, JP-52-50605 does not explicitly disclose the filter has a layered unit structure and the common line is disposed inside of the layered unit structure.

In the same field of endeavor, Kato et al. teaches a filter (see Fig. 1, 2, 3, and respective portions of the specification) has a layered unit structure and the common line is disposed inside of the layered unit structure (see col. 1, line 51 – col. 2, line 21 and col. 2, line 47 – col. 3, line 29) in order to provide a composite electronic component whose frequency can easily be adjusted desirably (see col. 1, lines 53-54).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have included within the JP-52-50605 a filter has a layered unit structure and the common line is disposed inside of the layered unit structure as taught by Kato et al. since such combination would have to provided a composite electronic component whose frequency can easily be adjusted desirably as suggested by Kato et al. in column 1, lines 53-54.

Regarding **claim 10**, Kato et al. further teaches the input-output balanced filter (see Fig. 1, 2, 3, and respective portions of the specification) according to claim 1, wherein the filter has a layered unit structure and the common line is disposed on a surface of the layered unit structure (see col. 1, line 51 – col. 2, line 21 and col. 2, line 47 – col. 3, line 29).

Regarding **claim 11**, JP-52-50605 teaches an input-output balanced filter (see Fig. 5 and respective portions of the specification) comprising:

first (A) and second (A') input terminals and first (node at L7 and C9) and second (node at L10 and C11) output terminals;

a first LC filter circuit unit (L6, L7, C8, C9) connected between the first input terminal (A) and the first output terminal (see Figure 5) having a plurality of first coil (L6, L7), first capacitors (C8, C9) and a common side line (between L6 and L7);

a second LC filter circuit unit (L9, L10, C10, C11) connected between the second input terminal (A') and the second output terminal (see figure 5) having a plurality of second coils (L9, L10), second capacitors (C10, C11) and a common side line (between L10 and L10);

a common line (i.e., L8; see Figure 5) defined by an element L8 that is independent of the first LC filter circuit unit (L6, L7, C8, C9), and the second LC filter circuit unit (L9, L10, C10, C11);

wherein the common side line (between L6 and L7) of the first LC filter circuit unit is electrically and directly connected to the common side line (between L9 and L10) of the second LC filter circuit unit via the common line (L8; see Figure 5); and

an approximate midpoint of the common line L8 is defined as a common phase reference point of each of the first and second LC filter circuit units (see Figure 5).

Art Unit: 2644

It should be noted that JP-52-50605 has the same structural arrangement as the claimed invention and therefore it would have been inherent that JP-52-50605's filter would perform the same and have the same affects as claimed by the present invention.

However, JP-52-50605 does not explicitly disclose:

- a plurality of insulating layers;

- a plurality of conductive patterns of coils, capacitors.

In the same field of endeavor Kato et al. teaches an input-output balanced filter (see col. 6, lines 7-17; Fig. 1, 5 and respective portions of the specification) comprising:

- a plurality of insulating layers (see col. 1, line 51 – col. 2, line 21);

- coil conductive patterns and capacitor conductive patterns (see col. 2, line 47 – col. 3, line 29); and

- a common line conductive pattern (see col. 1, line 51 – col. 2, line 21 and col. 2, line 47 – col. 3, line 29);

in order to provide a method of adjusting a frequency of a composite electronic component (see col. 3, lines 56-58).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have applied within the JP-52-50605 reference the technology that formed a laminated body based on JP-52-50605 lay out as taught by Kato et al. since such combination would have provided a method of adjusting a frequency of a composite electronic component as suggested by Kato et al. in column 3, lines 55-58.

Regarding **claim 12**, Kato et al. teaches an input-output balanced filter (see col. 6, lines 7-17; Fig. 1, 5 and respective portions of the specification) according to claim 11, wherein the first LC filter circuit unit includes at least one LC parallel resonant circuit (see col. 4, line 46 – col. 6, line 17).

Regarding **claim 13**, Kato et al. teaches an input-output balanced filter (see col. 6, lines 7-17; Fig. 1, 5 and respective portions of the specification) according to claim 12, wherein the at least one LC parallel resonant circuit includes an inductor and a capacitor (see col. 4, line 46 – col. 6, line 17).

Regarding **claim 14**, Kato et al. teaches an input-output balanced filter (see col. 6, lines 7-17; Fig. 1, 5 and respective portions of the specification) according to claim 11, wherein the first LC filter circuit unit includes as least two LC parallel resonant circuits (see col. 4, line 46 – col. 6, line 17).

Regarding **claim 15**, Kato et al. teaches an input-output balanced filter (see col. 6, lines 7-17; Fig. 1, 5 and respective portions of the specification) according to claim 11, wherein the at least one LC parallel resonant circuit includes an inductor and a capacitor (see col. 4, line 46 – col. 6, line 17).

Regarding **claim 16**, Kato et al. teaches an input-output balanced filter (see col. 6, lines 7-17; Fig. 1, 5 and respective portions of the specification) according to claim 15, wherein the second LC filter circuit unit includes at least two parallel resonant circuits (see col. 4, line 46 – col. 6, line 17).

Regarding **claim 17**, Kato et al. teaches an input-output balanced filter (see col. 6, lines 7-17; Fig. 1, 5 and respective portions of the specification) according to claim 11, wherein the common line includes at least one inductor (see col. 4, line 46 – col. 6, line 17).

Regarding **claim 18**, Kato et al. teaches an input-output balanced filter (see col. 6, lines 7-17; Fig. 1, 5 and respective portions of the specification) according to Claim 11, wherein the filter has a layered unit structure and the common line conductive pattern is disposed inside of the layered unit structure (see col. 2, line 46 – col. 3, line 9, and col. 4, line 46 – col. 6, line 17).

Regarding **claim 19**, Kato et al. teaches an input-output balanced filter (see col. 6, lines 7-17; Fig. 1, 5 and respective portions of the specification) according to Claim 11, wherein the filter has a layered unit structure and the common line conductive pattern is disposed on a surface of the layered unit structure (see col. 2, line 46 – col. 3, line 9, and col. 4, line 46 – col. 6, line 17).

Art Unit: 2644

Regarding **claim 20**, Kato et al. teaches an input-output balanced filter (see col. 6, lines 7-17; Fig. 1, 3, 5 and respective portions of the specification) according to Claim 11, wherein the common line conductive pattern (to terminal 18e, 18f, 18g, and 18h) has an axially symmetric pattern (see col. 2, line 46 – col. 3, line 9, and col. 4, line 46 – col. 6, line 17).

Response to Arguments

5. Applicant's arguments with respect to claims 1-21 have been fully considered but they are not persuasive.

6. Applicant asserts on pages 5-6:

“.... Thus, Kobayashi fails to teach or suggest "a common line defined by an element that is independent of said first LC filter circuit unit and said second LC filter circuit unit" (emphasis added) as recited in the present claimed invention The Examiner has failed to cite any portion of Kobayashi which teaches or suggest anything at all about a common phase reference point. Fig. 5 of Kobayashi clearly does not teach or suggest any common phase reference point, and certainly fails to teach or suggest "an approximate midpoint of said common line is defined as a common phase reference point of each of said first and second LC filter circuit units" as recited in the present claimed invention ...”

Examiner respectfully disagrees. As the rejection discussed above, JP-52-50605 has the same structural arrangement as the claimed invention e.g., two LC filters (L6, L7, C8, C9, and L9, L10, C10, C11) commonly connected by an inductor (L8) and therefore it would have been inherent that JP-52-50605's filter would perform the same and have the same affects (e.g., a common line defined by L8 that is independent of the first LC filter, and the second LC filter) as claimed by the present invention.

Art Unit: 2644

Furthermore, the limitation at the approximate midpoint does not contribute to the structure of the claimed filter and therefore carries no weight.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Con P. Tran, whose telephone number is (703) 305-2341. The examiner can normally be reached on M - F (8:30 AM - 5:00 PM).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Forester W. Isen can be reached on (703) 305-4386. The fax phone numbers for the organization where this application or proceeding is assigned are (703) 872-9314 for regular communications and (703) 872-9314 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Customer Service Office at telephone number (703) 306-0377.

cpt CPJ
May 29, 2003



FORESTER W. ISEN
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2600